

# **Keystone B-Vent Fireplaces** Premium (BVP42) and Deluxe (BVD34 & BVD36)

Keystone 42 B-Vent Fireplace in a White Profile Mantel trimmed with Black Slat Louvers, Aged Brick Liner and Custom Tile Surround

# **Keystone Series**

#### **Keystone Premium & Deluxe Models**

Keystone B-Vent Fireplaces combine modern technology with traditional venting to create the appearance and performance of a conventional fireplace but with the convenience of gas.

Our B-Vent systems let you prolong the flicker of the flames without overheating your room. The BVD34 input is 21,000 Btu; the BVD36 is 25,000 Btu; and the Premium BVP42 is 30,000 Btu.

FBB4 automatic Blower with variable speed control may be used on Louvered models.

#### **Standard Features**

- Millivolt and Intermittent Pilot Models
- Louvered and Flush Models
- Natural Gas (LP conversion available)
- Zero Clearance Certified
- Remote Control Options
- A Variety of Decorative Accessories



Keystone hand-painted Ceramic Fiber Log Set (BVD34) on Contour Burner



Keystone 34 Deluxe Flush B-Vent Fireplace



Keystone 42 Premium Flush B-Vent Fireplace shown with optional Ceramic Aged Brick Liner

## **Outer Frames & Bottom Trim**

Our metal three-piece outer frames let you transition from your fireplace to any adjoining surface – wooden mantel, tile, stone, or any noncombustible material. Choose from steel frames – with traditional crisp lines – or our new extruded aluminum frames – with a profile that combines gentle concaves with flat surfaces. Each is available in matte black or hammered pewter. Our bottom trim completes the fourth side of the color frame.

## **Extruded Aluminum Frames**






Matte Black (Shown on Cherry Mantel)

Hammered Pewter (Shown on Oak Mantel)

#### Liners



Aged Brick


Smoked Herringbone

## Frame with Barrier Screen



Rectangle Door Frame with Barrier Screen


## **Decorative Louvers** – with screens



#### **Bottom Trim**

Bottom Trim (Hammered Pewter)

#### **Decorative Doors** – *include handles* Requires Rectangle Frame with Barrier Screen



Decorative Door Plain Rectangle

# **Control Options**

Choose from battery-operated or electric remote control, or opt for the simple wall switch.





FWS Wall Switch


FRBC Battery-operated Remote Control

3

## **Keystone Fireplace Specifications**

Model	A	в	С	D	E	F	G	н	I	J	Max Weight (lb.)	Input Btu	Vent Size (inches)
Keystone 34	37	34	22 7/8	35 5/8	32 3/4	14 7/8	6 3/8	5 7/8	24 1/2	12 1/4	110	21,000	4
Keystone 36	39	36	24 7/8	37 5/8	34 3/4	18 3/8	6 3/8	8 3/8	22 1/2	11 1/4	121	25,000	6
Keystone 42	43	40	24 7/8	37 5/8	34 3/4	18 3/8	6 3/8	6 3/8	26 1/2	13 1/4	134	30,000	6

Fireplace Specification Dimensions are in inches.



#### **Keystone Fireplace Framing Dimensions**

Model	Framing Width	Framing Height	Minimum Framing Depth
Keystone 34	37 3/8	35 3/4	14 3/8
Keystone 36	39 3/8	37 3/4	17 7/8
Keystone 42	43 3/8	37 3/4	17 7/8

All Framing Dimensions are in inches.

#### **Keystone Mantels – See Profile Mantels and Mantelshelves** For most installations, this B-Vent fireplace will be framed in behind a wall or in a chase.

Gas Inlet for Fireplace Models			
Type of Gas	Natural (LP conversion kit available)		
Iron Pipe Size (N.P.T.)	1/2-inch		
Ignition System	Standing Pilot/Piezo or Intermittent Pilot		

#### Warranty

All parts carry a 3-year limited warranty.

All remote controls carry a 1-year limited warranty.

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.



This appliance is design-certified to the ANSI standard by:

Member of the following industry associations:





WMH-00702 4/15/18

The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.

www.empirecomfort.com